

Laboratory name _____

Patient name _____ Required date _____

Structure

- Single Substructure
 Multiple 3/4
 Full crown

Tooth number(s) _____

Material

- BioZir® HS IPS e.max®: HT • MT • LT
 BioZir® STPS Vita Enamic®
 BioZir® STML WAXcube™
 BioZir® XT TEMPcube™: Mono • ML
 BioZir® 3DML CoCr (Bego®)
 Lava™ Plus Titanium (Bego®)
 Pekkton®

VITA® Classic shades

Incisive _____
Gingival _____

Other

- Wax-up copy
 Lingual zirconia
 Lingual band

Implant(s)

Connection _____

- Pre-milled abutment: Hybrid abutment:
 MedentCAD®: Ti • Gold hue • CoCr Screw-retained
 Atlantis®: Ti • Gold Hue • Zr Generic titanium base
 Straumann®: Ti • tan • CoCr • Zr Original titanium base
 Other: _____ Cementation on titanium base

Additional details

Signature _____

Licence number _____ Date _____



Laboratory name _____

Patient name _____ Required date _____

Structure

- Single Substructure
 Multiple 3/4
 Full crown

Tooth number(s) _____

Material

- BioZir® HS IPS e.max®: HT • MT • LT
 BioZir® STPS Vita Enamic®
 BioZir® STML WAXcube™
 BioZir® XT TEMPcube™: Mono • ML
 BioZir® 3DML CoCr (Bego®)
 Lava™ Plus Titanium (Bego®)
 Pekkton®

VITA® Classic shades

Incisive _____
Gingival _____

Other

- Wax-up copy
 Lingual zirconia
 Lingual band

Implant(s)

Connection _____

- Pre-milled abutment: Hybrid abutment:
 MedentCAD®: Ti • Gold hue • CoCr Screw-retained
 Atlantis®: Ti • Gold Hue • Zr Generic titanium base
 Straumann®: Ti • tan • CoCr • Zr Original titanium base
 Other: _____ Cementation on titanium base

Additional details

Signature _____

Licence number _____ Date _____

